

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-15 (Cancelled)

16. (Previously Presented) A radio communication system that performs a radio communication between a stationary information device and a mobile terminal device, wherein

the stationary information device includes

a first radio communication unit that performs a radio communication to detect an approach between the stationary information device and the mobile terminal device, the first radio communication unit including a detecting unit that detects the approach between the stationary information device and the mobile terminal device based on a result of the radio communication by the first radio communication unit; and

an attracting unit that generates, when the detecting unit detects the approach between the stationary information device and the mobile terminal device, an attraction force for attracting and fixing the mobile terminal device, and

the mobile terminal device includes

a second radio communication unit that performs the radio communication with the first radio communication unit of the stationary information device; and

an attracted unit that is attracted to the attraction force generated by the stationary information device.

17. (Previously Presented) The radio communication system according to claim 16, wherein

the attraction force is an electromagnetic attraction force.

18. (Previously Presented) The radio communication system according to claim 16, wherein

the stationary information device further includes a third radio communication unit that performs a radio communication with the mobile terminal device by using a frequency band more expanded than a unit frequency band, in a state in which a transmission power per unit frequency band is set to be lower than a predetermined value, and

the mobile terminal device further includes a fourth radio communication unit that performs a radio communication with the third radio communication unit of the stationary information device.

19. (Previously Presented) The radio communication system according to claim 16, wherein

the first radio communication unit further includes a fixation determining unit that determines a completion of attracting and fixing the mobile terminal device with the attraction force.

20. (Previously Presented) The radio communication system according to claim 16, wherein

the first radio communication unit is a radio-frequency-identification reader/writer, and

the second radio communication unit is a radio tag.

21. (Previously Presented) The radio communication system according to claim 16, further comprising:

an intensity adjusting unit that adjusts an intensity of the attraction force.

22. (Currently Amended) A stationary information device comprising:

a first radio communication unit that performs a radio communication to detect approach ~~of an external device~~ between the stationary information device and an external device, the first radio communication unit including a detecting unit that detects the approach ~~of the external device~~ between the stationary information device and the external device based on a result of the radio communication by the first radio communication unit; and

an attracting unit that generates, when the detecting unit detects the approach of the ~~external device~~ between the stationary information device and the external device, an attraction force for attracting and fixing the external device,

wherein the external device includes a second radio communication unit, and the first radio communication unit performs the radio communication with the second radio communication unit when the external device is attracted and fixed to the stationary information device.

23. (Previously Presented) The stationary information device according to claim 22, wherein

the attraction force is an electromagnetic attraction force.

24. (Currently Amended) ~~The~~ A stationary information device according to ~~claim 22, further~~ comprising:

a first radio communication unit that performs a radio communication to detect approach of an external device, the first radio communication unit including a detecting unit that detects the approach of the external device based on a result of the radio communication by the first radio communication unit;

an attracting unit that generates, when the detecting unit detects the approach of the external device, an attraction force for attracting and fixing the external device; and

a second radio communication unit that performs a radio communication with the external device by using a frequency band more expanded than a unit frequency band, in a state in which a transmission power per unit frequency band is set to be lower than a predetermined value.

25. (Currently Amended) The stationary information device according to claim 22, wherein

the first radio communication unit further includes a fixation determining unit that determines a completion of attracting and fixing the ~~mobile terminal~~ external device with the attraction force.

26. (Previously Presented) The stationary information device according to claim 22, wherein

the first radio communication unit is a radio-frequency-identification reader/writer.

27. (Previously Presented) The stationary information device according to claim 22, further comprising:

an intensity adjusting unit that adjusts an intensity of the attraction force.

28. (Currently Amended) A mobile terminal device comprising:

a first radio communication unit that performs a radio communication to detect an approach ~~of an external device~~ between the mobile terminal device and an external device; and

an attracted unit that is attracted to an attraction force generated by the external device,

wherein the external device includes a second radio communication unit, and the first radio communication unit performs the radio communication with the second radio communication unit when the mobile terminal device is attracted and fixed to the external device.

29. (Currently Amended) The mobile terminal device according to claim 28, ~~further comprising:~~

[[a]] wherein the second radio communication unit that performs a radio communication with the external device by using a frequency band more expanded than a unit frequency band, in a state in which a transmission power per unit frequency band is set to be lower than a predetermined value.

30. (Previously Presented) The mobile terminal device according to claim 28, wherein the first radio communication unit is a radio tag.